



# ***Silicone & Gel Liners***

*Silicone Liners*

*Gel Liners*

*Suspension Sleeves*



## SILICONE LINER SYSTEMS


### Specifications

- Made from Medical Grade Silicone Material.
- The silicones used have been tested for biocompatibility according to DIN EN ISO 10993-5 and DIN EN ISO 10993-10.
- High adhesion between liner and the skin.
- Seamless Fabric Cover.
- 3 mm or 6 mm uniform thickness.
- 2 different fabric cover has been used on outside. The fabric cover around the distal end has special "matrix" which prevents vertical stretch thus prevents the "pistoning movement".
- Perfect Pressure distribution.
- Suitable for nearly all locking devices.




Silicone Liner with Distal Connector

| Code       | Color | Distal Circumference | Thickness |
|------------|-------|----------------------|-----------|
| SL-10-18   | Grey  | 18 cm                | 3 mm      |
| SL-10-20   | Grey  | 20 cm                | 3 mm      |
| SL-10-21   | Grey  | 21 cm                | 3 mm      |
| SL-10-22   | Grey  | 22 cm                | 3 mm      |
| SL-10-23,5 | Grey  | 23,5 cm              | 3 mm      |
| SL-10-25   | Grey  | 25 cm                | 3 mm      |
| SL-10-26,5 | Grey  | 26,5 cm              | 3 mm      |
| SL-10-28   | Grey  | 28 cm                | 3 mm      |
| SL-10-30   | Grey  | 30 cm                | 3 mm      |
| SL-10-32   | Grey  | 32 cm                | 3 mm      |
| SL-10-34   | Grey  | 34 cm                | 3 mm      |
| SL-10-36   | Grey  | 36 cm                | 3 mm      |
| SL-10-38   | Grey  | 38 cm                | 3 mm      |
| SL-10-40   | Grey  | 40 cm                | 3 mm      |
| SL-10-42   | Grey  | 42 cm                | 3 mm      |
| SL-10-45   | Grey  | 45 cm                | 3 mm      |



Silicone Liner without Distal Connector

| Code    | Color | Distal Circumference | Thickness |
|---------|-------|----------------------|-----------|
| SL-18   | Grey  | 18 cm                | 3 mm      |
| SL-20   | Grey  | 20 cm                | 3 mm      |
| SL-21   | Grey  | 21 cm                | 3 mm      |
| SL-22   | Grey  | 22 cm                | 3 mm      |
| SL-23,5 | Grey  | 23,5 cm              | 3 mm      |
| SL-25   | Grey  | 25 cm                | 3 mm      |
| SL-26,5 | Grey  | 26,5 cm              | 3 mm      |
| SL-28   | Grey  | 28 cm                | 3 mm      |
| SL-30   | Grey  | 30 cm                | 3 mm      |
| SL-32   | Grey  | 32 cm                | 3 mm      |
| SL-34   | Grey  | 34 cm                | 3 mm      |
| SL-36   | Grey  | 36 cm                | 3 mm      |
| SL-38   | Grey  | 38 cm                | 3 mm      |





## SILICONE LINER SYSTEMS


### Specifications



Silicone Liner with Distal Connector


- Made from Medical Grade Silicone Material.
- The silicones used have been tested for biocompatibility according to DIN EN ISO 10993-5 and DIN EN ISO 10993-10.
- High adhesion between liner and the skin.
- Seamless Fabric Cover.
- 3 mm or 6 mm uniform thickness.
- 2 different fabric cover has been used on outside. The fabric cover around the distal end has special "matrix" which prevents vertical stretch thus prevents the "pistoning movement".
- Perfect Pressure distribution.
- Suitable for nearly all locking devices.

| Code       | Color | Distal Circumference | Thickness |
|------------|-------|----------------------|-----------|
| SL-16-20   | Grey  | 20 cm                | 6 mm      |
| SL-16-22   | Grey  | 22 cm                | 6 mm      |
| SL-16-23,5 | Grey  | 23,5 cm              | 6 mm      |
| SL-16-25   | Grey  | 25 cm                | 6 mm      |
| SL-16-26,5 | Grey  | 26,5 cm              | 6 mm      |
| SL-16-28   | Grey  | 28 cm                | 6 mm      |
| SL-16-30   | Grey  | 30 cm                | 6 mm      |
| SL-16-32   | Grey  | 32 cm                | 6 mm      |
| SL-16-34   | Grey  | 34 cm                | 6 mm      |
| SL-16-36   | Grey  | 36 cm                | 6 mm      |
| SL-16-40   | Grey  | 40 cm                | 6 mm      |
| SL-16-45   | Grey  | 45 cm                | 6 mm      |



Silicone Liner without Distal Connector

| Code       | Color | Distal Circumference | Thickness |
|------------|-------|----------------------|-----------|
| SL-06-20   | Grey  | 20 cm                | 6 mm      |
| SL-06-22   | Grey  | 22 cm                | 6 mm      |
| SL-06-23,5 | Grey  | 23,5 cm              | 6 mm      |
| SL-06-25   | Grey  | 25 cm                | 6 mm      |
| SL-06-26,5 | Grey  | 26,5 cm              | 6 mm      |
| SL-06-28   | Grey  | 28 cm                | 6 mm      |
| SL-06-30   | Grey  | 30 cm                | 6 mm      |
| SL-06-32   | Grey  | 32 cm                | 6 mm      |
| SL-06-34   | Grey  | 34 cm                | 6 mm      |
| SL-06-36   | Grey  | 36 cm                | 6 mm      |





## GEL LINER SYSTEMS

### Specifications


- Made from Medical Grade TPE Gel Material
- The Gel Material used have been tested for biocompatibility according to DIN EN ISO 10993-5 and DIN EN ISO 10993-10.
- Non-uniform Gel Thickness (3 mm Posterior and 6 mm Anterior).
- With and without Distal Connector systems are available.




Gel Liner with Distal Connector



Gel Liner without Distal Connector



| Code       | Size | Thickness    |
|------------|------|--------------|
| GL-S-6-10  | S    | 6 mm to 3 mm |
| GL-M-6-10  | M    | 6 mm to 3 mm |
| GL-L-6-10  | L    | 6 mm to 3 mm |
| GL-XL-6-10 | XL   | 6 mm to 3 mm |



| Code    | Size | Thickness    |
|---------|------|--------------|
| GL-S-6  | S    | 6 mm to 3 mm |
| GL-M-6  | M    | 6 mm to 3 mm |
| GL-L-6  | L    | 6 mm to 3 mm |
| GL-XL-6 | XL   | 6 mm to 3 mm |



Gel Suspension Sleeve

## SUSPENSION SLEEVES

### Specifications

- Made from Medical Grade TPE Gel Material.
- The Gel Material used have been tested for biocompatibility according to DIN EN ISO 10993-5 and DIN EN ISO 10993-10.
- 3 mm uniform thickness.
- Total length of the sleeve is around 340 mm.

| Code  | Size | Lower Circumference | Top Circumference |
|-------|------|---------------------|-------------------|
| KP-S  | S    | 15-22 cm            | 23-34 cm          |
| KP-M  | M    | 21-30 cm            | 29-43 cm          |
| KP-MP | MP   | 24-35 cm            | 33-47 cm          |
| KP-L  | L    | 28-42 cm            | 36-51 cm          |
| KP-LP | LP   | 31-46 cm            | 39-55 cm          |



KM

Gel Suspension Sleeve

## SUSPENSION SLEEVES

### Specifications

- Made from Medical Grade Silicone Material.
- The silicones used have been tested for biocompatibility according to DIN EN ISO 10993-5 and DIN EN ISO 10993-10.
- 3 mm uniform thickness.
- Total length of the sleeve is around 400 mm.
- 15 degrees preflexed

| Code  | Size | Lower Circumference | Top Circumference |
|-------|------|---------------------|-------------------|
| KM-S  | S    | 15-22 cm            | 25-36 cm          |
| KM-M  | M    | 19-28 cm            | 29-43 cm          |
| KM-L  | L    | 22-37 cm            | 35-50 cm          |
| KM-XL | XL   | 27-44 cm            | 39-56 cm          |